



## WIFI



Kies het thuisnetwerk.



Scan Setting x

11.11.11.1/scan.htm

**SOLAX** Professional Solar PV Inverter Manufacture

[Return](#) Available Wireless Network

SSID	Signal
<b>DrayTek</b>	100%
<a href="#">Clean_N_Go</a>	100%
<a href="#">netwifi</a>	100%
<a href="#">Linksys01192</a>	72%
<a href="#">HUAWEI-E5186-B014</a>	72%
<a href="#">HP-Print-37-Officejet Pro 8620</a>	47%
<a href="#">HG655D-7A995C</a>	45%
<a href="#">H369A7C8F3E</a>	40%
<a href="#">SpeedTouchF515AD</a>	40%
<a href="#">DIRECT-B1-HP-Officejet 5740</a>	37%

[Refresh](#)

Voer het wachtwoord in. ( wachtwoord van de router)

Basic Setting x

Niet veilig | 11.11.11.1/basic.htm/ssid=DrayTek

**SOLAX** Professional Solar PV Inverter Manufacture

Basic **Monitor** System

SN: 21FF2868

IP Status: 192.168.1.20 [More...](#)

Inverter type: X1\_Boost\_Air\_Mini

SSID:  [Find AP](#)

Key:  [Show Password](#)

[Save&Reboot](#) [Factory Default](#)

Kontroleer of de omvormer een Ip adres heeft gekregen.

Basic Setting x

Niet veilig | 11.11.11.1/basic.htm

**SOLAX** Professional Solar PV Inverter Manufacture

Basic Monitor System

SN:	21FF2868
IP Status:	192.168.1.20 <a href="#">More...</a>
Inverter type:	X1_Boost_Air_Mini
SSID:	DrayTek <a href="#">Find AP</a>
Key:	<input type="text"/> <a href="#">Show Password</a>

[Save&Reboot](#) [Factory Default](#)

IP address Setting x

11.11.11.1/ip.htm

**SOLAX** Professional Solar PV Inverter Manufacture

[Return](#) IP Address Setting

Current Local IP:	192.168.1.20
Current Netmask:	255.255.255.0
Current Gateway IP:	192.168.1.1
Current DNS Server:	149.210.205.204
DHCP Select:	Enable ▾
Set Local IP:	<input type="text" value="192.168.1.100"/>
Set Netmask:	<input type="text" value="255.255.255.0"/>
Set Gateway IP:	<input type="text" value="192.168.1.1"/>
Set DNS Server:	<input type="text" value="192.168.1.1"/>

[Save](#)

## Software-Update

System Setting x

11.11.11.1/system.htm


**SOLAX** Professional Solar PV Inverter Manufacture

Basic Monitor System

SN:	21FF2868
MAC:	C8-93-46-CF-85-aF
Ver:	Solax_SI_CH_2nd_20160912_DE02
Update firmware:	Bestand kiezen Geen bestand gekozen

upload

Selecteer het bestand en klik op upload.

 Solax\_SI\_CH\_2nd\_3162\_20160810\_DE03(1... 6-2-2017 12:54 BIN-bestand